



NØRDOST

RETAIL PRICING

LEIF, NORSE, QRT, SORT SYSTEMS, LEIFESTYLE, MISC

JANUARY 2026



INDEX

Power Cords	page 5
Analog Interconnects	page 9
Subwoofer Cables/iKables	page 15
Ethernet/HDMI/USB	page 17
Digital Interconnects	page 23
Tonearm Cables	page 26
Speaker Cables	page 30
QRT - Audio Enhancers	page 34
Sort Systems - Resonance Control	page 48
Specialty Cables	page 51
Accessories/Apparel	page 60



NORDOST

WARRANTY INFORMATION

Nordost products have a limited lifetime warranty to the original purchaser, with the exception of our QRT products which carry limited 2 year (QPOINT, QSOURCE, QNET, QKOIL, QVIBE, QSINE, and QWAVE) or 5 year (QKORE and QBASE) warranties. These limited warranties cover any defects in material or workmanship under normal use of the product. However, due to the intricate yet durable makeup of our products, all merchandise sent in will undergo an evaluation process at the factory and will be handled at the discretion of the Nordost staff. Damage or abuse is not covered under the warranty. Any products that have been disassembled or have had their casing opened by any party (customer, dealer, or otherwise) will not be covered by the warranty. To return any defective items, an RA number must be obtained. Send the item to Nordost prepaid and if repair or replacement is deemed appropriate, it will be returned to the customer freight collect.

HOW TO MAKE A MODEL NUMBER

3

A. CABLE MODEL CODES

1. Cable Range Codes

L	= Leifstyle
WL	= White Lightning
PF	= Purple Flare
LSBH	= Blue Heaven
LSRD	= Red Dawn
3WL	= White Lightning 3
3PF	= Purple Flare 3
3BH	= Blue Heaven 3
3RD	= Red Dawn 3
2FR	= Frey 2
2HE	= Heimdall 2
2TY	= Tyr 2

2. Cable Type Codes

PWR	= Power Cord
INT	= Interconnects (Leif 3)
SW	= Subwoofer Cable
HP	= Headphone Cable
NET	= Ethernet Cable
HDMI	= HDMI Cable
UHD	= 4K UHD Cable
USB	= USB Cable
D	= Digital Interconnect
iK	= iKable (placed at start)
TA	= Tonearm Cable (add "+" to end of Model Number. Standard: Str. DIN to RCA)
SPK	= Speaker Cables (Leif 3)

B. CABLE LENGTH

0.6M	= 2 ft.
1M	= 3.3 ft.
1.5M	= 5 ft.
2M	= 6.6 ft.
2.5M	= 8 ft.
3M	= 10 ft.
3.5M	= 11.5 ft.
4M	= 13.3 ft.
5M	= 15 ft.
6M	= 20 ft.

C. CONNECTORS

B	= Banana Z-plugs (BFA)
S	= Spade
P	= Pin
R	= RCA
XLR	= XLR (Balanced)
DIN	= 5 pin DIN connector
BNC	= BNC
AA	= A to A (USB)
AB	= A to B (USB)
3.5	= 3.5 mini stereo plug
/90	= Right Angle (90°)

D. POWER CORD CONFIGURATION

1. Wall Plug Selection

US	= United States (add /90 for 90°)
UK	= United Kingdom
EUR	= Europe
AUS	= Australia

2. IEC Amp Selection

15	= 15 Amp US
(or 13)	13 Amp UK
(or 10)	10 Amp EU, AUS (add /90 for 90°)
20	= 20 Amp US
(or 16)	16 Amp EU, UK, AUS

C15



C19



E. SPEAKER CABLE CONFIGURATION

SG	= Shotgun: 2 connections at Amp & 2 connections at Speaker
BW	= Biwire: 2 connections at Amp & 4 connections at Speaker
BA	= BiAmp: 4 connections at Amp & 4 connections at speaker

EXAMPLES

Power Cord:

3RDPWR2M/US-15

2 meter Red Dawn 3 power cord, 15 Amp, configured for the United States.

Interconnects:

2HE1MR

1 meter pair of Heimdall 2 Analog Interconnects with RCA connections at both ends.

Speaker Cables:

2TY4MSB/SG

4 meter pair of Tyr 2 Speaker Cables with 2 spades on the amp end and 2 bananas on the speaker end of each cable.

NOTES


All speaker cables and analog interconnects are sold in pairs. To order a single cable, please use .5 for the quantity.

If you would like the same connectors on both ends, only one connector code is necessary. If you require one type of connector at the Amp/Source end and a different connector at the Speaker/Receiving end, list BOTH connector codes in the order of AMP/SOURCE to SPEAKER/RECEIVING.


For 90 Degree connectors, specify the orientation using the charts on the next page.

90 DEGREE PIN ORIENTATION


Pin Orientation of 90° (Right Angle) US Wall Plug




Pin Orientation of 90° (Right Angle) IEC C15 Connector



Pin Orientation of 90° (Right Angle) RJ45 Connector



Pin Orientation of 90° (Right Angle) DIN Connector



LEIF 3 SERIES

WHITE LIGHTNING 3 POWER CORD



Model	Length	Retail
3WLPWR1M	1M	\$249.99
3WLPWR1.5M	1.5M	\$291.99
3WLPWR2M	2M	\$333.99
3WLPWR2.5M	2.5M	\$375.99
3WLPWR3M	3M	\$417.99
3WLPWR3.5M	3.5M	\$459.99
3WLPWR4M	4M	\$501.99

- Micro Mono-Filament construction
 - Dedicated two conductor design for **figure 8 application only**
 - 2 x 18 AWG 65 strand 99.9999% OFC conductors
 - FEP insulation
 - 10.0pF/ft Capacitance
 - 0.146μH/ft Inductance
 - DC Resistance: 6.6 Ohms per 1000ft
 - US, EU, UK wall plugs available at base price
- ▶ Add \$80.00 retail for 90 degree wall plug
 - ▶ Add \$60.00 retail for AUS wall plug
 - ▶ Add \$70.00 retail for M or D type wall plug
 - ▶ Add \$60.00 retail for J type wall plug
 - ▶ Add \$42.00 retail per additional 1/2 meter

LEIF 3 SERIES

PURPLE FLARE 3 POWER CORD



Model	Length	Retail
3PFPWR1M	1M	\$297.99
3PFPWR1.5M	1.5M	\$365.99
3PFPWR2M	2M	\$433.99
3PFPWR2.5M	2.5M	\$501.99
3PFPWR3M	3M	\$569.99
3PFPWR3.5M	3.5M	\$637.99
3PFPWR4M	4M	\$705.99

- Micro Mono-Filament construction
 - 3 x 16 AWG 65 strand 99.9999% OFC conductors
 - FEP insulation
 - 10.0pF/ft Capacitance
 - 0.133μH/ft Inductance
 - DC Resistance: 4.4 Ohms per 1000ft
 - US, EU, UK wall plugs available at base price
- ▶ Add \$80.00 retail for 90 degree wall plug
 - ▶ Add \$80.00 retail for Low Profile IEC (straight or 90°)
 - ▶ Add \$80.00 retail for 90 degree IEC
 - ▶ Add \$60.00 retail for AUS wall plug
 - ▶ Add \$70.00 retail for M or D type wall plug
 - ▶ Add \$60.00 retail for J type wall plug
 - ▶ Add \$68.00 retail per additional 1/2 meter

LEIF 3 SERIES

BLUE HEAVEN 3 POWER CORD



Also available in 20 amp (US) / 16 amp (EU, UK, AUS)

LEIF 3 SERIES

RED DAWN 3 POWER CORD



Also available in 20 amp (US) / 16 amp (EU, UK, AUS)

Model	Length	Retail
3BHPWR1M	1M	\$409.99
3BHPWR1.5M	1.5M	\$493.99
3BHPWR2M	2M	\$577.99
3BHPWR2.5M	2.5M	\$661.99
3BHPWR3M	3M	\$745.99
3BHPWR3.5M	3.5M	\$829.99
3BHPWR4M	4M	\$913.99

- Micro Mono-Filament construction
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC
- 3 x 14 AWG 105 strand 99.9999% OFC conductors
- FEP insulation
- 10.0pF/ft capacitance
- 0.124μH/ft Inductance
- DC Resistance: 2.8 Ohms per 1000ft
- US, EU, UK connectors available at base price

- ▶ Add \$80.00 retail for 20 amp (US) / 16 amp (EU, UK, AUS)
- ▶ Add \$80.00 retail for 90 degree wall plug
- ▶ Add \$80.00 retail for Low Profile IEC (straight or 90°)
- ▶ Add \$80.00 retail for 90 degree IEC
- ▶ Add \$100.00 retail for Powercon Connector
- ▶ Add \$60.00 retail for AUS wall plug
- ▶ Add \$70.00 retail for M or D type wall plug
- ▶ Add \$60.00 retail for J type wall plug
- ▶ Add \$84.00 retail per additional 1/2 meter

Model	Length	Retail
3RDPWR1M	1M	\$584.99
3RDPWR1.5M	1.5M	\$709.99
3RDPWR2M	2M	\$834.99
3RDPWR2.5M	2.5M	\$959.99
3RDPWR3M	3M	\$1,084.99
3RDPWR3.5M	3.5M	\$1,209.99
3RDPWR4M	4M	\$1,334.99

- Micro-Mono-Filament construction
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC
- 3 x 12 AWG 168 strand 99.9999% OFC conductors
- FEP insulation
- 8.5pF/ft capacitance
- 0.121μH/ft Inductance
- DC Resistance: 1.64 Ohms per 1000ft
- US, EU, UK connectors available at base price

- ▶ Add \$80.00 retail for 20 amp (US) / 16 amp (EU, UK, AUS)
- ▶ Add \$80.00 retail for 90 degree wall plug
- ▶ Add \$80.00 retail for Low Profile IEC (straight or 90°)
- ▶ Add \$80.00 retail for 90 degree IEC
- ▶ Add \$100.00 retail for Powercon Connector
- ▶ Add \$60.00 retail for AUS wall plug
- ▶ Add \$70.00 retail for M or D type wall plug
- ▶ Add \$60.00 retail for J type wall plug
- ▶ Add \$125.00 retail per additional 1/2 meter

NORSE 2 SERIES

HEIMDALL 2 POWER CORD



Model	Length	Retail
HEPWR1M	1M	\$904.99
HEPWR2M	2M	\$1,204.99
HEPWR3M	3M	\$1,504.99
HEPWR4M	4M	\$1,804.99
HEPWR5M	5M	\$2,104.99
HEPWR6M	6M	\$2,404.99
HEPWR7M	7M	\$2,704.99

- Micro-Mono Filament construction
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC
- 3 x 16 AWG silver plated 99.99999% OFC solid core conductors
- FEP insulation
- 10pF/ft capacitance
- DC Resistance: 4.0 Ohms per 1000ft
- US, EU, UK connectors available at base price

- ▶ Add \$80.00 retail for 90 degree wall plug
- ▶ Add \$80.00 retail for Low Profile IEC (straight or 90°)
- ▶ Add \$80.00 retail for 90 degree IEC
- ▶ Add \$80.00 retail for Figure 8
- ▶ Add \$60.00 retail for AUS wall plug
- ▶ Add \$70.00 retail for M or D type wall plug
- ▶ Add \$100.00 retail for J type wall plug
- ▶ Add \$300.00 retail per additional 1 meter

NORSE 2 SERIES

FREY 2 POWER CORD



Model	Length	Retail
FRPWR1M	1M	\$2,399.99
FRPWR2M	2M	\$2,849.99
FRPWR3M	3M	\$3,299.99
FRPWR4M	4M	\$3,749.99
FRPWR5M	5M	\$4,199.99
FRPWR6M	6M	\$4,649.99
FRPWR7M	7M	\$5,099.99

- Micro-Mono-Filament construction
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC
- 5 x 16 AWG silver plated 99.99999% OFC solid core conductors
- FEP insulation
- 8.8pF/ft capacitance
- DC Resistance: 2.0 Ohms per 1000ft
- US, EU, UK connectors available at base price

- ▶ Add \$80.00 retail for 20 amp (US) / 16 amp (EU, UK, AUS)
- ▶ Add \$80.00 retail for 90 degree wall plug
- ▶ Add \$80.00 retail for Low Profile IEC (straight or 90°)
- ▶ Add \$80.00 retail for 90 degree IEC
- ▶ Add \$80.00 retail for Furutech Figure 8
- ▶ Add \$100.00 retail for Powercon Connector
- ▶ Add \$60.00 retail for AUS wall plug
- ▶ Add \$70.00 retail for M or D type wall plug
- ▶ Add \$100.00 retail for J type wall plug
- ▶ Add \$450.00 retail per additional 1 meter



Also available in 20 amp (US) / 16 amp (EU, UK, AUS)

NORSE 2 SERIES

TYR 2 POWER CORD



Also available in 20 amp (US) / 16 amp (EU, UK, AUS)

Model	Length	Retail
TYPWR1M	1M	\$3,999.99
TYPWR2M	2M	\$4,849.99
TYPWR3M	3M	\$5,699.99
TYPWR4M	4M	\$6,549.99
TYPWR5M	5M	\$7,399.99
TYPWR6M	6M	\$8,249.99
TYPWR7M	7M	\$9,099.99

- Dual Mono-Filament technology
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC
- 7 x 16 AWG silver plated 99.99999% OFC solid core conductors
- FEP insulation
- 8pF/ft Capacitance
- DC Resistance: 1.33 Ohms per 1000ft
- US, EU, UK connectors available at base price

- ▶ Add \$80.00 retail for 20 amp (US) / 16 amp (EU, UK, AUS)
- ▶ Add \$80.00 retail for 90 degree wall plug
- ▶ Add \$80.00 retail for Low Profile IEC (straight or 90°)
- ▶ Add \$80.00 retail for 90 degree IEC
- ▶ Add \$80.00 retail for Furutech Figure 8
- ▶ Add \$100.00 retail for Powercon Connector
- ▶ Add \$60.00 retail for AUS wall plug
- ▶ Add \$100.00 retail for J type wall plug
- ▶ Add \$400.00 retail for 30 Amp Locking Connector [for some Dan D'Agostino products]
- ▶ Add \$850.00 retail per additional 1 meter

LEIF SERIES

WHITE LIGHTNING INTERCONNECTS



Model	Length	Retail
WL0.6M	0.6M	\$241.99
WL1M	1M	\$277.99
WL1.5M	1.5M	\$313.99
WL2M	2M	\$349.99
WL2.5M	2.5M	\$385.99
WL3M	3M	\$421.99
WL3.5M	3.5M	\$457.99

- Comes as a PAIR of cables
- Shielded analog interconnect with 95% braid
- 4 x 26 AWG silver plated 99.9999% OFC solid core conductors
- FEP Insulation
- 43.0pF/ft capacitance
- 0.046μH/ft inductance
- RCA or XLR termination
(Standard XLR wiring is Pin 1: Chassis Ground, Pin 2: +, Pin 3: -)

► Add \$36.00 retail per additional 1/2 meter pair

LEIF SERIES

PURPLE FLARE INTERCONNECTS



Model	Length	Retail
PF0.6M	0.6M	\$319.99
PF1M	1M	\$389.99
PF1.5M	1.5M	\$459.99
PF2M	2M	\$529.99
PF2.5M	2.5M	\$599.99
PF3M	3M	\$669.99
PF3.5M	3.5M	\$739.99

- Comes as a PAIR of cables
- Shielded analog interconnect with 95% braid
- 6 x 26 AWG silver plated 99.9999% OFC solid core conductors
- FEP Insulation
- 55.0pF/ft capacitance
- 0.037μH/ft inductance
- RCA or XLR termination
(Standard XLR wiring is Pin 1: Chassis Ground, Pin 2: +, Pin 3: -)

► Add \$70.00 retail per additional 1/2 meter pair

LEIF SERIES

BLUE HEAVEN INTERCONNECTS



Model	Length	Retail
LSBH0.6M	0.6M	\$464.99
LSBH1M	1M	\$494.99
LSBH1.5M	1.5M	\$589.99
LSBH2M	2M	\$684.99
LSBH2.5M	2.5M	\$779.99
LSBH3M	3M	\$874.99
LSBH3.5M	3.5M	\$969.99

- Comes as a PAIR of cables
 - Shielded analog interconnect with 95% braid
 - 4 x 24 AWG silver plated 99.9999% OFC solid core conductors
 - FEP Insulation
 - 45.0pF/ft capacitance
 - 0.046μH/ft inductance
 - RCA or XLR termination
- (Standard XLR wiring is Pin 1: Chassis Ground, Pin 2: +, Pin 3: -)

► Add \$95.00 retail per additional 1/2 meter pair

LEIF SERIES

RED DAWN INTERCONNECTS



Model	Length	Retail
LSRD0.6M	0.6M	\$629.99
LSRD1M	1M	\$714.99
LSRD1.5M	1.5M	\$854.99
LSRD2M	2M	\$994.99
LSRD2.5M	2.5M	\$1,134.99
LSRD3M	3M	\$1,274.99
LSRD3.5M	3.5M	\$1,414.99

- Comes as a PAIR of cables
 - Shielded analog interconnect with 95% braid
 - 6 x 24 AWG silver plated 99.9999% OFC solid core conductors
 - FEP Insulation
 - 60.0pF/ft capacitance
 - 0.035μH/ft inductance
 - RCA or XLR termination
- (Standard XLR wiring is Pin 1: Chassis Ground, Pin 2: +, Pin 3: -)

► Add \$50.00 retail per 5-pin or 4-pin Din connector

► Add \$140.00 retail per additional 1/2 meter pair

LEIF 3 SERIES

WHITE LIGHTNING 3 INTERCONNECTS



Model	Length	Retail
3WLINT0.6M	0.6M	\$354.99
3WLINT1M	1M	\$449.99
3WLINT1.5M	1.5M	\$544.99
3WLINT2M	2M	\$639.99
3WLINT2.5M	2.5M	\$734.99
3WLINT3M	3M	\$829.99
3WLINT3.5M	3.5M	\$924.99

- Comes as a PAIR of cables
- 4 x 26 AWG silver plated 99.9999% OFC solid core conductors:
2 Twisted pairs individually shielded
- Overall Shield Coverage: 97%
- FEP Insulation
- Nordost Neutrik Profi RCA or Neutrik XLR termination
(Standard XLR wiring is Pin 1: Chassis Ground, Pin 2: +, Pin 3: -)

► Add \$95.00 retail per additional 1/2 meter pair

LEIF 3 SERIES

PURPLE FLARE 3 INTERCONNECTS



Model	Length	Retail
3PFINT0.6M	0.6M	\$474.99
3PFINT1M	1M	\$584.99
3PFINT1.5M	1.5M	\$699.99
3PFINT2M	2M	\$814.99
3PFINT2.5M	2.5M	\$929.99
3PFINT3M	3M	\$1,044.99
3PFINT3.5M	3.5M	\$1,159.99

- Comes as a PAIR of cables
- 6 x 26 AWG silver plated 99.9999% OFC solid core conductors:
3 Twisted pairs individually shielded
- Overall Shield Coverage: 97%
- FEP Insulation
- Nordost Neutrik Profi RCA or Neutrik XLR termination
(Standard XLR wiring is Pin 1: Chassis Ground, Pin 2: +, Pin 3: -)

► Add \$115.00 retail per additional 1/2 meter pair

LEIF 3 SERIES

BLUE HEAVEN 3 INTERCONNECTS



Model	Length	Retail
3BHINT0.6M	0.6M	\$609.99
3BHINT1M	1M	\$749.99
3BHINT1.5M	1.5M	\$894.99
3BHINT2M	2M	\$1,039.99
3BHINT2.5M	2.5M	\$1,184.99
3BHINT3M	3M	\$1,329.99
3BHINT3.5M	3.5M	\$1,474.99

- Comes as a PAIR of cables
- 4 x 24 AWG silver plated 99.9999% OFC solid core conductors:
2 Twisted pairs individually shielded
- Overall Shield Coverage: 97%
- FEP Insulation
- Nordost Neutrik Profi RCA or Neutrik XLR termination
(Standard XLR wiring is Pin 1: Chassis Ground, Pin 2: +, Pin 3: -)

► Add \$145.00 retail per additional 1/2 meter pair

LEIF 3 SERIES

RED DAWN 3 INTERCONNECTS



Model	Length	Retail
3RDINT0.6M	0.6M	\$789.99
3RDINT1M	1M	\$974.99
3RDINT1.5M	1.5M	\$1,159.99
3RDINT2M	2M	\$1,344.99
3RDINT2.5M	2.5M	\$1,529.99
3RDINT3M	3M	\$1,714.99
3RDINT3.5M	3.5M	\$1,899.99

- Comes as a PAIR of cables
- 6 x 24 AWG silver plated 99.9999% OFC solid core conductors:
3 Twisted pairs individually shielded
- Overall Shield Coverage: 97%
- FEP Insulation
- Nordost Neutrik Profi RCA or Neutrik XLR termination
(Standard XLR wiring is Pin 1: Chassis Ground, Pin 2: +, Pin 3: -)

► Add \$185.00 retail per additional 1/2 meter pair

NORSE 2 SERIES

HEIMDALL 2 INTERCONNECTS



Model	Length	Retail
2HE0.6M	0.6M	\$1,099.99
2HE1M	1M	\$1,374.99
2HE1.5M	1.5M	\$1,674.99
2HE2M	2M	\$1,974.99
2HE2.5M	2.5M	\$2,274.99
2HE3M	3M	\$2,574.99
2HE3.5M	3.5M	\$2,874.99

- Comes as a PAIR of cables
- Shielded analog interconnect with 97% braid
- 4 x 24 AWG silver plated 99.99999% OFC solid core conductors
- FEP insulation
- Dual Mono-Filament design
- 25.0pF/ft capacitance
- 0.06μH/ft inductance
- Nordost MoonGlo RCA or Neutrik XLR termination
(Standard XLR wiring is Pin 1: Chassis Ground, Pin 2: +, Pin 3: -)

► Add \$300.00 retail per additional 1/2 meter pair

NORSE 2 SERIES

FREY 2 INTERCONNECTS



Model	Length	Retail
2FR0.6M	0.6M	\$1,699.99
2FR1M	1M	\$2,099.99
2FR1.5M	1.5M	\$2,539.99
2FR2M	2M	\$2,979.99
2FR2.5M	2.5M	\$3,419.99
2FR3M	3M	\$3,859.99
2FR3.5M	3.5M	\$4,299.99

- Comes as a PAIR of cables
- Shielded analog interconnect with 97% braid
- 5 x 24 AWG silver plated 99.99999% OFC solid core conductors
- FEP insulation
- Dual Mono-Filament design
- 28.0pF/ft capacitance
- 0.055μH/ft inductance
- Nordost MoonGlo RCA or Neutrik XLR termination
(Standard XLR wiring is Pin 1: Chassis Ground, Pin 2: +, Pin 3: -)

► Add \$50.00 retail per 5-pin or 4-pin Din connector

► Add \$440.00 retail per additional 1/2 meter pair

NORSE 2 SERIES

TYR 2 INTERCONNECTS



Model	Length	Retail
2TY0.6M	0.6M	\$3,049.99
2TY1M	1M	\$3,599.99
2TY1.5M	1.5M	\$4,199.99
2TY2M	2M	\$4,799.99
2TY2.5M	2.5M	\$5,399.99
2TY3M	3M	\$5,999.99
2TY3.5M	3.5M	\$6,599.99

- Comes as a PAIR of cables
 - Shielded analog interconnect with 97% braid
 - 7 x 24 AWG silver plated 99.99999% OFC solid core conductors
 - FEP insulation
 - Dual Mono-Filament design
 - 33.0pF/ft capacitance
 - 0.045µH/ft inductance
 - Nordost MoonGlo RCA or Neutrik XLR termination
(Standard XLR wiring is Pin 1: Chassis Ground, Pin 2: +, Pin 3: -)
- Add \$600.00 retail per additional 1/2 meter pair

LEIF SERIES

BLUE HEAVEN SUBWOOFER CABLE



STRAIGHT CONFIGURATION

Model	Length	Retail
BHSW2M	2M	\$484.99
BHSW3M	3M	\$594.99
BHSW4M	4M	\$704.99
BHSW5M	5M	\$814.99
BHSW6M	6M	\$924.99



Y CONFIGURATION

Model	Length	Retail
BHSWY2M	2M	\$519.99
BHSWY3M	3M	\$629.99
BHSWY4M	4M	\$739.99
BHSWY5M	5M	\$849.99
BHSWY6M	6M	\$959.99

- 4 x 22 AWG, silver-plated, 99.9999% OFC, solid core conductors
- FEP insulation
- Flat, Parallel construction
- Braided Shield
- Capacitance: 60.5 pF/ft (198 pF/m)
- Inductance: 0.03 μ H/ft (0.10 μ H/m)
- Velocity of Propagation: 74%
- RCA or XLR termination
(Standard XLR wiring is Pin 1: Chassis Ground, Pin 2: +, Pin 3: -)

► Add \$110.00 retail for additional 1 meter



STEREO Y TO Y CONFIGURATION

Model	Length	Retail
BHSWY-Y2M	2M	\$549.99
BHSWY-Y3M	3M	\$659.99
BHSWY-Y4M	4M	\$769.99
BHSWY-Y5M	5M	\$879.99
BHSWY-Y6M	6M	\$989.99

LEIF SERIES

BLUE HEAVEN iKABLE



Model	Length	Retail
iKBH0.6M	0.6M	\$259.99
iKBH1M	1M	\$359.99
iKBH2M	2M	\$459.99
iKBH3M	3M	\$559.99
iKBH4M	4M	\$659.99
iKBH5M	5M	\$759.99
iKBH6M	6M	\$859.99

- 4 x 24 AWG stranded silver-plated 99.9999% OFC conductors
- Fully shielded braid
- FEP insulation
- Gold plated, full metal jacket shell connectors available in:
 - ♦ 3.5mm stereo mini (Neutrik) to 3.5mm stereo mini (Neutrik)
 - ♦ 3.5mm stereo mini (Neutrik) to (2x) RCA (Neutrik)
 - ♦ 3.5mm stereo mini (Neutrik) to (2x) XLR (Neutrik)
 (Standard XLR wiring is Pin 1: Chassis Ground, Pin 2: +, Pin 3: -)

► Add \$100.00 retail per additional 1 meter

NORSE 2 SERIES

HEIMDALL 2 iKABLE



Model	Length	Retail
iK2HE0.6M	0.6M	\$449.99
iK2HE1M	1M	\$579.99
iK2HE2M	2M	\$829.99
iK2HE3M	3M	\$1,079.99
iK2HE4M	4M	\$1,329.99
iK2HE5M	5M	\$1,579.99
iK2HE6M	6M	\$1,829.99

- 4 x 24 AWG stranded silver-plated 99.99999% OFC conductors
- Dual Mono-Filament technology
- FEP insulation
- Mechanically tuned lengths
- Gold plated, full metal jacket shell connectors available in:
 - ♦ 3.5mm stereo mini (Neutrik) to 3.5mm stereo mini (Neutrik)
 - ♦ 3.5mm stereo mini (Neutrik) to (2x) RCA (Neutrik)
 - ♦ 3.5mm stereo mini (Neutrik) to (2x) XLR (Neutrik)
 (Standard XLR wiring is Pin 1: Chassis Ground, Pin 2: +, Pin 3: -)

► Add \$250.00 retail per additional 1 meter

LEIF 3 SERIES

BLUE HEAVEN 3 ETHERNET CABLE



Model	Length	Retail
3BHNET1M	1M	\$499.99
3BHNET2M	2M	\$629.99
3BHNET3M	3M	\$759.99
3BHNET4M	4M	\$889.99
3BHNET5M	5M	\$1,019.99
3BHNET6M	6M	\$1,149.99
3BHNET7M	7M	\$1,279.99

- 24 AWG solid core copper conductors
- Shielded and Foiled Twisted Pair Design (s/ftp)
- Fully Shielded Dual Braid
- High-Density Polymer Insulation
- Terminated with shielded 8p8c/RJ45 connectors

► Add \$130.00 retail per additional 1 meter

NORSE 2 SERIES


HEIMDALL 2 ETHERNET CABLE



Model	Length	Retail
2HENET1M	1M	\$824.99
2HENET2M	2M	\$1,004.99
2HENET3M	3M	\$1,184.99
2HENET4M	4M	\$1,364.99
2HENET5M	5M	\$1,544.99
2HENET6M	6M	\$1,724.99
2HENET7M	7M	\$1,904.99

- 23 AWG solid core copper conductors
- Shielded and Foiled Twisted Pair Design (s/ftp)
- Fully Shielded Dual Braid
- High-Density Polymer Insulation
- Mechanically tuned lengths
- Terminated with ruggedized, shielded 8p8c/RJ45 connectors

► Add \$160.00 retail per Right Angle connector — Choose:



► Add \$165.00 retail per additional 1 meter

LEIF SERIES

BLUE HEAVEN HDMI CABLE



Model	Length	Retail
BHHDMI1M	1M	\$384.99
BHHDMI2M	2M	\$494.99
BHHDMI3M	3M	\$604.99

FIRST AND ONLY HDMI CABLES MADE IN THE USA! 

- DPL Labs certified
- Micro Mono-Filament construction
- High speed with ethernet and audio return
- 19 x 26 AWG silver plated 99.9999% OFC conductors
- FEP insulation
- Fully shielded
- Terminated with high quality gold plated HDMI connectors

LEIF SERIES

PURPLE FLARE USB 2.0 CABLE



Model	Length	Retail
PFUSB0.3M	0.3M	\$199.99
PFUSB0.6M	0.6M	\$224.99
PFUSB1M	1M	\$249.99
PFUSB2M	2M	\$299.99
PFUSB3M	3M	\$349.99

- FEP insulation
- Mechanically tuned lay, twisted shielded pair design
- 4 x 28 AWG silver-plated 99.9999% OFC stranded conductors
- 2.0 standard
- 100% Total shield coverage
- Velocity of Propagation: 70%
- Available with Standard Class A USB 2.0 to Standard A 2.0, Standard B 2.0, Micro B 2.0, or Mini B 2.0

► Add \$40.00 retail for On-The-Go (OTG) Configuration (OTG only available for Micro B 2.0 and Mini B 2.0)

LEIF SERIES

RED DAWN USB C CABLE




Model	Length	Retail
RDUSB0.3M	0.3M	\$329.99
RDUSB0.6M	0.6M	\$389.99
RDUSB1M	1M	\$449.99
RDUSB1.5M	1.5M	\$509.99
RDUSB2M	2M	\$569.99

- FEP insulation
- Micro Mono-Filament technology
- Silver-plated 99.9999% OFC stranded conductors
- Dual layer of braid and foil shielding
- **Specially designed for USB C connectors** (standard is C to B)

► Add \$40.00 retail for On-The-Go (OTG) Configuration (OTG only available for Micro B 2.0 and Mini B 2.0)

TERMINATION OPTIONS



LEIF 3 SERIES

BLUE HEAVEN 3 USB 2.0 CABLE



Model	Length	Retail
3BHUSB1M	1M	\$319.99
3BHUSB2M	2M	\$449.99
3BHUSB3M	3M	\$579.99
3BHUSB5M	5M	\$839.99
3BHUSB7M	7M	\$1,099.99

- FEP insulation
- Micro Mono-Filament technology
- 2.0 standard
- Available with class A or Class B connectors (standard is A to B)
- 4 x 20 AWG Silver plated 99.9999% OFC stranded conductors

NORSE 2 SERIES

HEIMDALL 2 USB 2.0 CABLE



Model	Length	Retail
HEUSB1M	1M	\$599.99
HEUSB2M	2M	\$719.99
HEUSB3M	3M	\$839.99
HEUSB5M	5M	\$1,079.99
HEUSB7M	7M	\$1,319.99

- FEP insulation
- Dual Mono-Filament construction
- 2.0 standard
- 4 x 20 AWG Silver plated 99.99999% OFC stranded conductors
- Optimized cable geometry and length
- Available with class A or Class B connectors (standard is A to B)

NORSE 2 SERIES


FREY 2 USB C CABLE



Model	Length	Retail
FRUSB0.6M	0.6M	\$724.99
FRUSB1M	1M	\$904.99
FRUSB1.5M	1.5M	\$1,084.99
FRUSB2M	2M	\$1,264.99

- FEP insulation
- Micro Mono-Filament technology
- Silver-plated 99.99999% OFC solid core conductors
- Mechanically tuned lengths
- Dual layer of silver braid and foil shielding
- **Specially designed for USB C connectors**

TERMINATION OPTIONS



NORSE 2 SERIES

TYR 2 USB 2.0 CABLE



Model	Length	Retail
TYUSB1M	1M	\$1,549.99
TYUSB2M	2M	\$1,899.99
TYUSB3M	3M	\$2,249.99
TYUSB5M	5M	\$2,949.99
TYUSB7M	7M	\$3,649.99

- FEP insulation
- Dual Mono-Filament construction
- 2.0 standard
- 4 x 20 AWG Silver plated 99.99999 OFC solid core conductors
- Twisted pair, double helix geometry
- Mechanically tuned lengths
- Dual silver foil jacket and silver braided shielding
- Available with class A or Class B connectors (standard is A to B)

NORSE 2 SERIES

FREY 2 USB C ADAPTER



Model	Length	Retail
FRUSBC-AF	0.17M	\$329.99

- FEP insulation
- Micro Mono-Filament technology
- Silver-plated 99.99999% OFC solid core conductors
- Mechanically tuned length: 6.7 inches (17 cm)
- Dual layer of silver braid and foil shielding
- 2.0 and 3.0 compatible
- USB C to Standard A (Female)

LEIF 3 SERIES

BLUE HEAVEN 3 DIGITAL – 75 OHM



Model	Length	Retail
*3BHD1MBNC	1M	\$299.99
*3BHD1.5MBNC	1.5M	\$335.99
*3BHD2MBNC	2M	\$371.99
*3BHD2.5MBNC	2.5M	\$407.99
*3BHD3MBNC	3M	\$443.99
*3BHD3.5MBNC	3.5M	\$479.99
*3BHD4MBNC	4M	\$515.99

- FEP insulation
 - Micro Mono-Filament technology
 - 75 Ohm S/PDIF digital cable
 - Gold-plated BNC to BNC standard
 - Gold-plated 3.5mm mono mini available
 - Gold-plated BNC to RCA adapters included
 - 24 AWG silver plated 99.9999% OFC solid core conductor
 - Coaxial design
- ▶ Add \$10.00 retail for replacement Gold-plated BNC to RCA adapter. (Model: CNN-BNC/RCA_ADAPTER)
 - ▶ Add \$36.00 retail per additional 1/2 meter

NORSE 2 SERIES

HEIMDALL 2 DIGITAL – 75 OHM



Model	Length	Retail
HED1MBNC	1M	\$1,049.99
HED1.5MBNC	1.5M	\$1,269.99
HED2MBNC	2M	\$1,489.99
HED2.5MBNC	2.5M	\$1,709.99
HED3MBNC	3M	\$1,929.99
HED3.5MBNC	3.5M	\$2,149.99
HED4MBNC	4M	\$2,369.99

- FEP insulation
 - Dual Mono-Filament technology
 - 75 Ohm S/PDIF digital cable terminated with BNC
 - BNC to RCA adapters are included
 - 20 AWG silver plated 99.99999% OFC solid core conductor
 - Coaxial design
- Add \$10.00 retail for replacement Gold-plated BNC to RCA adapter. (Model: CNN-BNC/RCA_ADAPTER)
- Add \$220.00 retail per additional 1/2 meter

NORSE 2 SERIES

HEIMDALL 2 DIGITAL – 110 OHM



Model	Length	Retail
HED1MXLR	1M	\$1,049.99
HED1.5MXLR	1.5M	\$1,269.99
HED2MXLR	2M	\$1,489.99
HED2.5MXLR	2.5M	\$1,709.99
HED3MXLR	3M	\$1,929.99
HED3.5MXLR	3.5M	\$2,149.99
HED4MXLR	4M	\$2,369.99

- FEP insulation
 - Dual Mono-Filament technology
 - 110 Ohm AES/EBU digital cable terminated Neutrik XLR
 - Two 20 AWG silver plated 99.99999% OFC solid core conductors
 - Balanced design
- Add \$220.00 retail per additional 1/2 meter

NORSE 2 SERIES

TYR 2 DIGITAL – 75 OHM



Model	Length	Retail
2TYD1MBNC	1M	\$2,099.99
2TYD1.5MBNC	1.5M	\$2,524.99
2TYD2MBNC	2M	\$2,949.99
2TYD2.5MBNC	2.5M	\$3,374.99
2TYD3MBNC	3M	\$3,799.99
2TYD3.5MBNC	3.5M	\$4,224.99
2TYD4MBNC	4M	\$4,649.99

- FEP insulation
- Dual Mono-Filament technology
- 75 Ohm S/PDIF digital cable terminated with BNC
- BNC to RCA adapters are included
- 18 AWG silver plated 99.99999% OFC solid core conductor
- Coaxial design

- ▶ Add \$10.00 retail for replacement Gold-plated BNC to RCA adapter. (Model: CNN-BNC/RCA_ADAPTER)
- ▶ Add \$425.00 retail per additional 1/2 meter

NORSE 2 SERIES

TYR 2 DIGITAL – 110 OHM



Model	Length	Retail
2TYD1MXLR	1M	\$2,099.99
2TYD1.5MXLR	1.5M	\$2,524.99
2TYD2MXLR	2M	\$2,949.99
2TYD2.5MXLR	2.5M	\$3,374.99
2TYD3MXLR	3M	\$3,799.99
2TYD3.5MXLR	3.5M	\$4,224.99
2TYD4MXLR	4M	\$4,649.99

- FEP insulation
- Dual Mono-Filament technology
- 110 Ohm AES/EBU digital cable terminated Neutrik XLR
- Two 19 AWG silver plated 99.99999% OFC solid core conductors
- Balanced design

- ▶ Add \$425.00 retail per additional 1/2 meter


LEIFSTYLE SERIES

LEIFSTYLE TONEARM CABLE



RCA to RCA

Model	Length	Retail
LTA1.25MR	1.25M	\$449.99
LTA1.75MR	1.75M	\$524.99
LTA2.25MR	2.25M	\$599.99




Din to RCA / Din to XLR

Model	Length	Retail
LTA1.25MDIN...	1.25M	\$499.99
LTA1.75MDIN...	1.75M	\$574.99
LTA2.25MDIN...	2.25M	\$649.99

- 4 x 28 AWG, 99.9999% OFC silver-plated, solid core conductors
 - Twisted pairs make up left and right channels, each shielded with a braid shield
 - Ground / Bond Wire : 24 AWG, OFC, 19/36
 - Gold plated, low mass connectors
 - Available with straight DIN, RCA, or XLR connectors.
- Add \$90.00 retail for 90° MoonGlo® DIN connector - Must specify pin orientation (A,B,C, or D). See chart on page 4.
- Add \$75.00 retail for additional 1/2 meter

LEIF SERIES

BLUE HEAVEN TONEARM CABLE +



Model	Length	Retail
BHTA1.25M+	1.25M	\$799.99
BHTA1.75M+	1.75M	\$909.99
BHTA2.25M+	2.25M	\$1,019.99
BHTA2.75M+	2.75M	\$1,129.99
BHTA3.25M+	3.25M	\$1,239.99
BHTA3.75M+	3.75M	\$1,349.99
BHTA4.25M+	4.25M	\$1,459.99

- FEP insulation
- 4 x 28 AWG Silver plated 99.9999% OFC Solid Core Conductors: 2 Twisted pairs individually shielded
- 24 AWG silver-plated, stranded OFC bond wire w/ Micro Mono-Filament design
- 24 AWG silver-plated, stranded OFC removable ground whips w/ Micro Mono-Filament design
- Capacitance: 15.13pF/ft (49.5pF/m)
- Velocity of Propagation: 74%
- Overall Shield Coverage: 97%
- Tonearm cables are available with straight MoonGlo® DIN, RCA, or XLR connectors. Standard model numbers reflect a straight MoonGlo® DIN to RCA.

- ▶ Add \$90.00 retail for 90° MoonGlo® DIN connector - Must specify pin orientation (A,B,C, or D). See chart on page 4.
- ▶ Add \$60.00 retail for replacement 12in Grounding Whip
- ▶ Add \$110.00 retail for additional 1/2 meter

LEIF 3 SERIES

WHITE LIGHTNING 3 TONEARM CABLE



Model	Length	Retail
3WLTA1.25M	1.25M	\$649.99
3WLTA1.75M	1.75M	\$744.99
3WLTA2.25M	2.25M	\$839.99
3WLTA2.75M	2.75M	\$934.99
3WLTA3.25M	3.25M	\$1,029.99
3WLTA3.75M	3.75M	\$1,124.99
3WLTA4.25M	4.25M	\$1,219.99

- 4 x 26 AWG silver plated 99.9999% OFC solid core conductors: 2 Twisted pairs individually shielded
- Ground Wire : 24 AWG silver-plated, stranded OFC w/ Micro Mono-Filament design
- Gold plated, low mass connectors
- Available with straight DIN, RCA, or XLR connectors.
- ▶ Add \$90.00 retail for 90° MoonGlo® DIN connector - Must specify pin orientation (A,B,C, or D). See chart on page 4.
- ▶ Add \$95.00 retail for additional 1/2 meter

NORSE 2 SERIES

HEIMDALL 2 TONEARM CABLE +




Model	Length	Retail
2HETA1.25M+	1.25M	\$999.99
2HETA1.75M+	1.75M	\$1,134.99
2HETA2.25M+	2.25M	\$1,269.99
2HETA2.75M+	2.75M	\$1,404.99
2HETA3.25M+	3.25M	\$1,539.99
2HETA3.75M+	3.75M	\$1,674.99
2HETA4.25M+	4.25M	\$1,809.99

- FEP insulation
- Mechanically tuned lay and lengths
- 4 x 28 AWG Silver plated 99.99999% OFC Solid Core
Conductors: 2 Twisted pairs individually shielded, Micro Mono-Filament design
- 24 AWG silver-plated, stranded OFC bond wire w/ Micro Mono-Filament design
- 24 AWG silver-plated, stranded OFC removable ground whips w/Micro Mono-Filament design
- Capacitance: 11.46pF/ft (37.5pF/m)
- Velocity of Propagation: 76%
- Overall Shield Coverage: 97%
- Tonearm cables are available with straight MoonGlo® DIN, RCA, or XLR connectors. Standard model numbers reflect a straight MoonGlo® DIN to RCA.

- ▶ Add \$90.00 retail for 90° MoonGlo® DIN connector – Must specify pin orientation (A,B,C, or D). See chart on page 4.
- ▶ Add \$60.00 retail for replacement 12in Grounding Whip
- ▶ Add \$135.00 retail for additional 1/2 meter

NORSE 2 SERIES

FREY 2 TONEARM CABLE +



Model	Length	Retail
2FRTA1.25M+	1.25M	\$1,749.99
2FRTA1.75M+	1.75M	\$1,939.99
2FRTA2.25M+	2.25M	\$2,129.99
2FRTA2.75M+	2.75M	\$2,319.99
2FRTA3.25M+	3.25M	\$2,509.99
2FRTA3.75M+	3.75M	\$2,699.99
2FRTA4.25M+	4.25M	\$2,889.99

- FEP insulation
- Mechanically tuned lay and lengths
- 4 x 26 AWG Silver plated 99.99999% OFC Solid Core
Conductors: 2 Twisted pairs individually shielded, Dual Mono-Filament design
- 24 AWG silver-plated, stranded OFC bond wire w/ Micro Mono-Filament design
- 24 AWG silver-plated, stranded OFC removable ground whips w/Micro Mono-Filament design
- Capacitance: 11.77pF/ft (38.5pF/m)
- Velocity of Propagation: 76%
- Overall Shield Coverage: 98%
- Tonearm cables are available with straight MoonGlo® DIN, RCA, or XLR connectors. Standard model numbers reflect a straight MoonGlo® DIN to RCA.

- ▶ Add \$90.00 retail for 90° MoonGlo® DIN connector – Must specify pin orientation (A,B,C, or D). See chart on page 4.
- ▶ Add \$60.00 retail for replacement 12in Grounding Whip
- ▶ Add \$190.00 retail for additional 1/2 meter

NORSE 2 SERIES

TYR 2 TONEARM CABLE +



Model	Length	Retail
2TYTA1.25M+	1.25M	\$3,434.99
2TYTA1.75M+	1.75M	\$3,814.99
2TYTA2.25M+	2.25M	\$4,194.99
2TYTA2.75M+	2.75M	\$4,574.99
2TYTA3.25M+	3.25M	\$4,954.99
2TYTA3.75M+	3.75M	\$5,334.99
2TYTA4.25M+	4.25M	\$5,714.99

- FEP insulation
 - Mechanically tuned lay and lengths
 - 4 x 25 AWG Silver plated 99.99999% OFC Solid Core
Conductors: 2 Twisted pairs individually shielded, Dual Mono-Filament design
 - 24 AWG silver-plated, stranded OFC bond wire w/ Micro Mono-Filament design
 - 24 AWG silver-plated, stranded OFC removable ground whips w/Micro Mono-Filament design
 - Capacitance: 11.12pF/ft (36.36pF/m)
 - Velocity of Propagation: 78%
 - Overall Shield Coverage: 98%
 - Tonearm cables are available with straight MoonGlo® DIN, RCA, or XLR connectors. Standard model numbers reflect a straight MoonGlo® DIN to RCA.
- ▶ Add \$90.00 retail for 90° MoonGlo® DIN connector – Must specify pin orientation (A,B,C, or D). See chart on page 4.
- ▶ Add \$60.00 retail for replacement 12in Grounding Whip
- ▶ Add \$380.00 retail for additional 1/2 meter

LEIF 3 SERIES

WHITE LIGHTNING 3 SPEAKER CABLES



Model	Length	Retail
3WLSPK1M	1M	\$489.99
3WLSPK2M	2M	\$569.99
3WLSPK2.5M	2.5M	\$609.99
3WLSPK3M	3M	\$649.99
3WLSPK4M	4M	\$729.99
3WLSPK5M	5M	\$809.99
3WLSPK6M	6M	\$889.99
3WLSPK7M	7M	\$969.99

- Comes as a PAIR of cables
 - Shotgun configuration only
 - 12 x 24 AWG silver plated 99.9999% OFC solid core conductors
 - FEP Insulation
 - Capacitance: 19.9 pF/m (6.1 pF/ft)
 - Inductance: 0.70 μ H/m (0.21 μ H/ft)
 - Velocity of Propagation: 90%
 - Banana or Spade (6.5mm) termination
- Add \$24.00 retail ea. for Large Spades (8.5mm)
- Add \$12.00 retail ea. for Small Spades (5mm)
- Add \$80.00 retail per additional 1 meter pair

LEIF 3 SERIES

PURPLE FLARE 3 SPEAKER CABLES



Model	Length	Retail
3PFSPK1M	1M	\$659.99
3PFSPK2M	2M	\$774.99
3PFSPK2.5M	2.5M	\$832.49
3PFSPK3M	3M	\$889.99
3PFSPK4M	4M	\$1,004.99
3PFSPK5M	5M	\$1,119.99
3PFSPK6M	6M	\$1,234.99
3PFSPK7M	7M	\$1,349.99

- Comes as a PAIR of cables
 - Shotgun configuration only
 - 16 x 24 AWG silver plated 99.9999% OFC solid core conductors
 - FEP Insulation
 - Capacitance: 21.7 pF/m (6.6 pF/ft)
 - Inductance: 0.63 μ H/m (0.19 μ H/ft)
 - Velocity of Propagation: 90%
 - Banana or Spade (6.5mm) termination
- Add \$24.00 retail ea. for Large Spades (8.5mm)
- Add \$12.00 retail ea. for Small Spades (5mm)
- Add \$115.00 retail per additional 1 meter pair

LEIF 3 SERIES

BLUE HEAVEN 3 SPEAKER CABLES



Model	Length	Retail
3BHSPK1M	1M	\$784.99
3BHSPK2M	2M	\$1,099.99
3BHSPK2.5M	2.5M	\$1,257.49
3BHSPK3M	3M	\$1,414.99
3BHSPK4M	4M	\$1,729.99
3BHSPK5M	5M	\$2,044.99
3BHSPK6M	6M	\$2,359.99
3BHSPK7M	7M	\$2,674.99

- Comes as a PAIR of cables
- Shotgun configuration only
- 18 x 24 AWG silver plated 99.9999% OFC solid core conductors
- FEP Insulation
- Capacitance: 22.9 pF/m (7.0 pF/ft)
- Inductance: 0.60 μ H/m (0.18 μ H/ft)
- Velocity of Propagation: 90%
- Banana or Spade (6.5mm) termination

- ▶ Add \$24.00 retail ea. for Large Spades (8.5mm)
- ▶ Add \$12.00 retail ea. for Small Spades (5mm)
- ▶ Add \$315.00 retail per additional 1 meter pair

LEIF 3 SERIES

RED DAWN 3 SPEAKER CABLES




Model	Length	Retail
3RDSPK1M	1M	\$1,184.99
3RDSPK2M	2M	\$1,574.99
3RDSPK2.5M	2.5M	\$1,769.99
3RDSPK3M	3M	\$1,964.99
3RDSPK4M	4M	\$2,354.99
3RDSPK5M	5M	\$2,744.99
3RDSPK6M	6M	\$3,134.99
3RDSPK7M	7M	\$3,524.99

- Comes as a PAIR of cables
- Shotgun configuration only
- 22 x 24 AWG silver plated 99.9999% OFC solid core conductors
- FEP Insulation
- Capacitance: 25.4 pF/m (7.7 pF/ft)
- Inductance: 0.53 μ H/m (0.16 μ H/ft)
- Velocity of Propagation: 91%
- Banana or Spade (6.5mm) termination

- ▶ Add \$24.00 retail ea. for Large Spades (8.5mm)
- ▶ Add \$12.00 retail ea. for Small Spades (5mm)
- ▶ Add \$390.00 retail per additional 1 meter pair

NORSE 2 SERIES

HEIMDALL 2 SPEAKER CABLES



Model	Length	Retail
2HE1M	1M	\$2,099.99
2HE2M	2M	\$2,699.99
2HE2.5M	2.5M	\$2,999.99
2HE3M	3M	\$3,299.99
2HE4M	4M	\$3,899.99
2HE5M	5M	\$4,499.99
2HE6M	6M	\$5,099.99
2HE7M	7M	\$5,699.99

- Comes as a PAIR of cables
 - Shotgun configuration only
 - 18 x 22 AWG silver plated 99.99999% OFC solid core conductors
 - FEP insulation
 - Micro Mono-Filament design
 - 9.8pF/ft capacitance
 - 0.14μH/ft inductance
 - Banana or Spade (6.5mm) termination
- Add \$24.00 retail ea. for Large Spades (8.5mm)
- Add \$12.00 retail ea. for Small Spades (5mm)
- Add \$600.00 retail per additional 1 meter pair

NORSE 2 SERIES

FREY 2 SPEAKER CABLES



Model	Length	Retail
2FR1M	1M	\$3,999.99
2FR2M	2M	\$4,749.99
2FR2.5M	2.5M	\$5,124.99
2FR3M	3M	\$5,499.99
2FR4M	4M	\$6,249.99
2FR5M	5M	\$6,999.99
2FR6M	6M	\$7,749.99
2FR7M	7M	\$8,499.99

- Comes as a PAIR of cables
 - Shotgun configuration only
 - 22 x 22 AWG silver plated 99.99999% OFC solid core conductors
 - FEP insulation
 - Micro Mono-Filament design
 - 10.3pF/ft capacitance
 - 0.135μH/ft inductance
 - Banana or Spade (6.5mm) termination
- Add \$24.00 retail ea. for Large Spades (8.5mm)
- Add \$12.00 retail ea. for Small Spades (5mm)
- Add \$750.00 retail per additional 1 meter pair

NORSE 2 SERIES

TYR 2 SPEAKER CABLES



Model	Length	Retail
2TY1M	1M	\$6,999.99
2TY2M	2M	\$8,999.99
2TY2.5M	2.5M	\$9,999.99
2TY3M	3M	\$10,999.99
2TY4M	4M	\$12,999.99
2TY5M	5M	\$14,999.99
2TY6M	6M	\$16,999.99
2TY7M	7M	\$18,999.99

- Comes as a PAIR of cables
- Shotgun configuration only
- 26 x 22 AWG silver plated 99.99999% OFC solid core conductors
- FEP insulation
- Micro Mono-Filament design
- 10.7pF/ft capacitance
- 0.13μH/ft inductance
- Banana or Spade (6.5mm) termination

- ▶ Add \$24.00 retail ea. for Large Spades (8.5mm)
- ▶ Add \$2,000.00 retail per additional 1 meter pair

NORSE 2 SERIES

NORSE BI-WIRE JUMPERS



Model	Length	Retail
BW7JUMP	7 in	\$224.99
BW14JUMP	14 in	\$449.99
BW21JUMP	21 in	\$674.99

- Set of 4 Jumpers
- Micro-Mono-Filament design
- FEP insulation
- Standard configuration is spade (6.5mm) to banana
- Banana to banana and spade to spade is available
- Dramatically improves speaker performance when replacing the metal strips provided by most speaker companies.

- ▶ Add \$24.00 retail ea. for Large Spades (8.5mm)

QRT

QNET7 – NETWORK SWITCH



Model	Retail
QNET7/US	\$5,499.99
QNET7/EUR	\$5,499.99
QNET7/UK	\$5,499.99
QNET7/AUS	\$5,499.99

- Audio optimized, Layer-2, seven-port Ethernet switch
- Auto-negotiated and fixed Ethernet ports: 5 x 1G low noise audio optimized ports, 1 x 100M ultra low noise audio only port, 1 SFP compatible port
- 9 internal, independent ultra low noise power supplies
- High speed internal layout with 8-layer precision impedance-controlled PCB
- 2 Femtosecond temperature-compensated oscillators
- Power supply available with US, EU, UK, or AUS plug

QRT

QNET – NETWORK SWITCH



Model	Retail
QNET/US	\$3,799.99
QNET/EUR	\$3,799.99
QNET/UK	\$3,799.99
QNET/AUS	\$3,799.99

- Audio optimized, Layer-2, five-port Ethernet switch
- Auto-negotiated and fixed Ethernet ports
- Internal noise-reduction
- High speed internal layout
- Low-noise, high precision oscillator
- Power supply available with US, EU, UK, or AUS plug

QRT

QNET STAND



Model	Retail
QNET-STAND	\$299.99

- Allows you to easily support your QNET NETWORK SWITCH on Sort Kones (sold separately) for optimum performance with resonance control.
- Components: Anodized aluminum center piece, three anodized aluminum legs, and rubber support ring (replacement rubber support ring included).

QRT

QPOINT – RESONANCE SYNCHRONIZER



Model	Retail
QPOINT	\$874.99

- Targets specific components to eliminate electrical noise
- Synchronizes electromechanical resonances
- Enhances coherency, timing, articulation, and musical structure
- Lowers the noise floor

QRT

QSOURCE – LINEAR POWER SUPPLY











Model	Retail
QSOURCE	\$2,749.99

- Linear Power Supply designed specifically for hi-fi audio applications
 - Provides a stable, clean output of DC power at select voltages while maintaining extremely low noise levels.
 - Top-of-the-line transformer with unique circuit design.
 - Internal QRT module smooths out DC output and removes electrical anomalies and noise artifacts from the line.
- Add \$20 retail for additional replacement fuse

QRT











QSOURCE DC CABLE

Termination Options			Model	Length	Retail
1 KEY LEMO   1 KEY LEMO For use with the QPOINT			QSDC1MLP	1M	\$345.00
			QSDC1.5MLP	1.5M	\$408.00
			QSDC2MLP	2M	\$471.00
2 KEY LEMO   2 KEY LEMO For use with the QNET			QSDC1MLN	1M	\$345.00
			QSDC1.5MLN	1.5M	\$408.00
			QSDC2MLN	2M	\$471.00
2 KEY LEMO   5.5mm x 2.1mm			QSDC1M2.1	1M	\$345.00
			QSDC1.5M2.1	1.5M	\$408.00
			QSDC2M2.1	2M	\$471.00
2 KEY LEMO   5.5mm x 2.5mm			QSDC1M2.5	1M	\$345.00
			QSDC1.5M2.5	1.5M	\$408.00
			QSDC2M2.5	2M	\$471.00

- Designed for use with the QSOURCE Linear Power Supply
 - 2 x 22 AWG Solid Core, Silver-plated, OFC Conductors
 - Shielded, Twisted Pair
 - Micro Mono-Filament Design
 - FEP Insulation
 - Braided shield
 - Termination options: Single Key LEMO to Single Key LEMO (QPOINT), Double Key LEMO to Double Key LEMO (QNET), Double Key LEMO to 5.5mm x 2.1mm DC connector, or Double Key LEMO to 5.5mm x 2.5mm DC connector
- Add \$63.00 Retail per additional 1/2 meter (up to 3 meters)

QRT

QSOURCE DC CABLE (PREMIUM)

Termination Options			Model	Length	Retail
1 KEY LEMO  1 KEY LEMO For use with the QPOINT			QSDCP1MLP	1M	\$390.00
			QSDCP1.5MLP	1.5M	\$465.00
			QSDCP2MLP	2M	\$540.00
2 KEY LEMO  2 KEY LEMO For use with the QNET			QSDCP1MLN	1M	\$390.00
			QSDCP1.5MLN	1.5M	\$465.00
			QSDCP2MLN	2M	\$540.00
2 KEY LEMO  1 KEY LEMO For use with the QNET7			QSDCP1MLN7	1M	\$390.00
			QSDCP1.5MLN7	1.5M	\$465.00
			QSDCP2MLN7	2M	\$540.00
2 KEY LEMO  5.5mm x 2.1mm			QSDCP1M2.1	1M	\$390.00
			QSDCP1.5M2.1	1.5M	\$465.00
			QSDCP2M2.1	2M	\$540.00
2 KEY LEMO  5.5mm x 2.5mm			QSDCP1M2.5	1M	\$390.00
			QSDCP1.5M2.5	1.5M	\$465.00
			QSDCP2M2.5	2M	\$540.00

- Designed for use with the QSOURCE Linear Power Supply
- 2 x 18 AWG Solid Core, Silver-plated, OFC Conductors
- Shielded, Twisted Pair
- Micro Mono-Filament Design
- FEP Insulation
- Braided shield
- Termination options: Single Key LEMO to Single Key LEMO (QPOINT), Double Key LEMO to Double Key LEMO (QNET), Double Key LEMO to Single Key LEMO (QNET7), Double Key LEMO to 5.5mm x 2.1mm DC connector, or Double Key LEMO to 5.5mm x 2.5mm DC connector

► Add \$75.00 Retail per additional 1/2 meter (up to 6 meters)

QRT

QKORE – GROUND UNIT



QKORE1

Model	Retail
QKORE-1	\$2,999.99

- Comprehensive parallel grounding device.
- Lowers noise floor, increases harmonic accuracy and clarity, and elevates overall musicality in system performance.
- Furnished with one “QBASE Ground” binding post to ground your distribution block.
- Offers an effective ground on the primary side of the power supply.
- Provided with a 2M Banana to Banana QKORE Wire.



QKORE3

Model	Retail
QKORE-3	\$4,099.99

- Comprehensive parallel grounding device.
- Lowers noise floor, increases harmonic accuracy and clarity, and elevates overall musicality in system performance.
- Furnished with three multi-use binding posts to ground your audio circuitry.
- Grounds system components on the secondary side of the power supply, where the audio circuit is.
- Provided with a 2M RCA to Banana QKORE Wire.












QKORE6

Model	Retail
QKORE-6	\$5,749.99

- Comprehensive parallel grounding device.
- Lowers noise floor, increases harmonic accuracy and clarity, and elevates overall musicality in system performance.
- Furnished with three multi-use binding posts for audio circuitry, two binding posts for left and right monoblocks, and one “QBASE Ground” binding post to ground a distribution block.
- Offers an effective ground on the primary side of the power supply, for a distribution block, as well as on the secondary side of the power supply, for system components, including those with separate left and right chassis.
- Provided with a 2M Banana to Banana QKORE wire and a 2M RCA to Banana QKORE Wire.

QRT

QKORE WIRE

Termination Options	Model	Length	Retail
 Banana	QKW1MB	1M	\$264.99
	QKW2MB	2M	\$449.99
 Spade	QKW1MS	1M	\$264.99
	QKW2MS	2M	\$449.99
 RCA	QKW1MR	1M	\$264.99
	QKW2MR	2M	\$449.99
 XLR (Male)	QKW1MXLR(M)	1M	\$264.99
	QKW2MXLR(M)	2M	\$449.99
 XLR (Female)	QKW1MXLR(F)	1M	\$264.99
	QKW2MXLR(F)	2M	\$449.99
 BNC	QKW1MBNC	1M	\$264.99
	QKW2MBNC	2M	\$449.99
 USB A	QKW1MUSB-A	1M	\$314.99
	QKW2MUSB-A	2M	\$499.99
 USB B	QKW1MUSB-B	1M	\$314.99
	QKW2MUSB-B	2M	\$499.99
 RJ45 (CAT/ETHERNET)	QKW1MRJ45	1M	\$314.99
	QKW2MRJ45	2M	\$499.99

- FEP insulation
- Micro Mono-Filament technology
- 16 AWG Conductor
- Silver-plated 99.9999% solid core OFC










► Add \$185.00 retail per additional 1 meter

TO
→

Banana
(Default)

Spade

QKORE WIRE (PREMIUM)

Termination Options	Model	Length	Retail
Banana 	QKWP1MB	1M	\$379.99
	QKWP1.5MB	1.5M	\$469.99
	QKWP2MB	2M	\$559.99
Spade 	QKWP1MS	1M	\$379.99
	QKWP1.5MS	1.5M	\$469.99
	QKWP2MS	2M	\$559.99
RCA 	QKWP1MR	1M	\$379.99
	QKWP1.5MR	1.5M	\$469.99
	QKWP2MR	2M	\$559.99
XLR (Male) 	QKWP1MXLR(M)	1M	\$379.99
	QKWP1.5MXLR(M)	1.5M	\$469.99
	QKWP2MXLR(M)	2M	\$559.99
XLR (Female) 	QKWP1MXLR(F)	1M	\$379.99
	QKWP1.5MXLR(F)	1.5M	\$469.99
	QKWP2MXLR(F)	2M	\$559.99
BNC 	QKWP1MBNC	1M	\$379.99
	QKWP1.5MBNC	1.5M	\$469.99
	QKWP2MBNC	2M	\$559.99
USB A 	QKWP1MUSB-A	1M	\$424.99
	QKWP1.5MUSB-A	1.5M	\$514.99
	QKWP2MUSB-A	2M	\$604.99
USB B 	QKWP1MUSB-B	1M	\$424.99
	QKWP1.5MUSB-B	1.5M	\$514.99
	QKWP2MUSB-B	2M	\$604.99
RJ45 (CAT/ETHERNET) 	QKWP1MRJ45	1M	\$424.99
	QKWP1.5MRJ45	1.5M	\$514.99
	QKWP2MRJ45	2M	\$604.99

- FEP insulation
- Micro Mono-Filament technology
- 14 AWG Conductor
- Silver-plated 99.9999% solid core OFC

► Add \$90.00 retail per additional 1/2 meter

TO
→

Banana
(Default)

Spade



QRT

QKOIL (QK1) – AC ENHANCER



Model	Retail
QK1/US	\$284.99
QK1/EUR	\$284.99
QK1/AUS	\$284.99

- AC Load Resonating Coil
- Allows for greater musicality and improves tonal balance
- Increases clarity of imaging, including sharpness, depth and focus
- Lowers the noise floor
- Load resonating coil using patented Micro Mono-Filament technology
- Mechanically tuned carbon-fiber body
- Gold-plated connectors
- Available in US (NEMA), EU (Schuko), or AUS configurations

► Add \$12.00 retail for EU to UK Adapter
Model: SCHUKO/UKADAPT

QRT

QVIBE (QV2) – AC LINE HARMONIZER



Model	Retail
QV2/US	\$404.99
QV2/EUR	\$404.99
QV2/AUS	\$404.99

- AC Line harmonizer
- Introduces carefully calculated range of harmonic frequencies to the AC line, clocked from the AC line itself
- Improves sound and picture quality
- Lower background noise
- Increases depth of soundstage
- Mechanically tuned carbon-fiber body
- Gold-plated connectors
- Available in US (NEMA), EU (Schuko), or AUS configurations

► Add \$12.00 retail for EU to UK Adapter
Model: SCHUKO/UKADAPT

QRT

QSINE – AC ENHANCER



Model	Retail
QSINE/US	\$324.99
QSINE/EUR	\$324.99
QSINE/AUS	\$324.99

- AC Enhancer
- The QSINE enhances the AC signal in a sound system by introducing a specific frequency field onto the circuit path.
- Reduces EMI on AC line.
- Lowers perceived background noise.
- Increases the clarity, detail, and pacing of musical reproduction.
- Allows for greater musicality and improves tonal balance.
- Mechanically tuned carbon-fiber body
- Gold-plated connectors
- Available in US (NEMA), EU (Schuko), or AUS configurations

► Add \$12.00 retail for EU to UK Adapter
Model: SCHUKO/UKADAPT

QRT

QWAVE – AC LINE HARMONIZER



Model	Retail
QWAVE/US	\$449.99
QWAVE/EUR	\$449.99
QWAVE/AUS	\$449.99

- AC Line harmonizer
- The QWAVE manipulates the sine wave by sampling the AC and inserting a series of pulsed frequencies back into the AC line
- Increases the imagery, dimensionality, and presence of the sound stage.
- Provides deeper, more dimensional and vibrant picture on AV systems.
- Mechanically tuned carbon-fiber body
- Gold-plated connectors
- Available in US (NEMA), EU (Schuko), or AUS configurations

► Add \$12.00 retail for EU to UK Adapter
Model: SCHUKO/UKADAPT

QRT

QBASE QB10 Reference – AC DISTRIBUTION UNIT



C-20 IEC (20/16 amp)

Model	Retail
QB10REF/US	\$17,999.99
QB10REF/EUR	\$17,999.99
QB10REF/AUS	\$17,999.99

- Ten, back-loading high performance AC outlets
 - Focused star ground for superior sonic performance
 - Large scale PC board for increased separation of all GND connections from the line and neutral traces
 - Primary Earth (and Dual Primary Earth) Topology
 - Mechanically Tuned Chassis
 - QSINE and QWAVE technology
 - Modified QPOINT technology
 - Sort Füt Resonance Control
 - External ground post for connection to separate clean ground
 - Dedicated Fuse (Comes with two replacement fuses)
 - Input is C-20 IEC: 20A (US) / 16A (EU, AUS)
 - Available in US, EU, and AUS configurations
- Add \$20 retail for additional replacement fuse

QRT

QBASE QB4 Mark III – AC DISTRIBUTION UNIT



Model	Retail
QB4III/US	\$1,399.99
QB4III/US-20	\$1,599.99
QB4III/EUR	\$1,399.99
QB4III/EUR-16	\$1,599.99
QB4III/AUS	\$1,399.99
QB4III/AUS-16	\$1,599.99

- 4 outlet design
- Focused star ground for superior sonic performance
- No in-line filtering or active circuitry keeps the lowest possible AC supply impedance
- Primary Earth grounding
- Optimized multi-level PC-board configuration to further minimize interference, maximize current flow, and more
- External ground post for connection to separate clean ground
- Dedicated Fuse (Comes with two replacement fuses)
- Available in US, EU, and AUS configurations

► Add \$20 retail for additional replacement fuse



C-14 IEC (15/10 amp) or...



C-20 IEC (20/16 amp)

QRT

QBASE QB8 Mark III – AC DISTRIBUTION UNIT



Model	Retail
QB8III/US	\$2,299.99
QB8III/US-20	\$2,599.99
QB8III/EUR	\$2,299.99
QB8III/EUR-16	\$2,599.99
QB8III/AUS	\$2,299.99
QB8III/AUS-16	\$2,599.99

- 8 outlet design
- Focused star ground for superior sonic performance
- No in-line filtering or active circuitry keeps the lowest possible AC supply impedance
- Primary Earth grounding
- Optimized multi-level PC-board configuration to further minimize interference, maximize current flow, and more
- External ground post for connection to separate clean ground
- Dedicated Fuse (Comes with two replacement fuses)
- Available in US, EU, and AUS configurations

► Add \$20 retail for additional replacement fuse



C-14 IEC (15/10 amp) or...



C-20 IEC (20/16 amp)

QRT

QBASE QB6 Mark III – AC DISTRIBUTION UNIT



Model	Retail
QB6III UK	\$2,299.99
QB6III UK-16	\$2,599.99

- 6 outlet design
- Focused star ground for superior sonic performance
- No in-line filtering or active circuitry keeps the lowest possible AC supply impedance
- Primary Earth grounding
- Optimized multi-level PC-board configuration to further minimize interference, maximize current flow, and more
- External ground post for connection to separate clean ground
- Dedicated Fuse (Comes with two replacement fuses)
- Available in UK configuration only

► Add \$20 retail for additional replacement fuse




C-14 IEC (13 amp) or...



C-20 IEC (16 amp)

QRT

QRT STAND MOUNT



Model	Retail
QSTAND	\$124.99

- Comes as a PAIR
- Two anodized aluminum stand/mount pieces
- Allows you to easily support your QBASE, QSOURCE, or QNET7 unit with Nordost Sort Kones, mount it to the wall, or raise it higher off of your floor or rack.

QRT

QLINE – GROUND WIRE



Model	Length	Retail
QLINE2M	2M	\$399.99

- FEP insulation
 - Micro Mono-Filament technology
 - 10 AWG plated 99.9999% OFC 231 strand conductor
 - Termination: Large Spade (8.5mm) to Crimped Ferrule (18mm x 3.8mm) is standard.
 - Additional terminations available
- Add \$125.00 retail per additional 1 meter

SORT SYSTEMS

SORT KONES



Model	Retail
SK/AC	\$129.99
SK/BC	\$214.99
SK/TC	\$499.99

- Resonance control devices
- Sold in single units

AC – Aluminum construction with a ceramic ball bearing
 BC – Bronze construction with a ceramic ball bearing
 TC – Titanium construction with a ceramic ball bearing

SORT SYSTEMS

SORT FÜT



Model	Retail
SF1	\$399.99
SF1-4PK Premium Package	\$1,749.99
SK1-4PK Sort Kup Floor Protectors	\$349.99
SL1-4PK Sort Lock	\$219.99

- Replaces the feet and spikes provided with loudspeakers and equipment racks
- Provides a direct mechanical ground path for unwanted energy
- Aluminum and Bronze hybrid construction
- Finial dome to minimize vibration
- 3 Ceramic balls (ZrO2) to minimize contact surface area while providing physical stability to components

The Premium Package Includes:

- ▶ 4 Sort Füt units
- ▶ Adjustment tool to customize your Sort system to you components
- ▶ Laser Leveling System for precise installation
- ▶ 8mm, 6mm, and 1/4-20 threaded adapters

Individual Units Include 8mm, 6mm, and 1/4-20 threaded adapters

Sort Kup protects sensitive floors from scratches and dents.
 Sort Lock prevents the Sort Füt from loosening over time.

Sort Systems

SORT FÜT THREADED ADAPTERS



Thread Size	Model	Color Code	Retail
1/4-20 (SAE)	2013004-04	Black	\$7.99
6mm x 1 (Metric)	2013004-03	Blue	\$7.99
8mm x 1.25 (Metric)	2013004-02	Red	\$7.99
6-32 (SAE)	2013004-12	-	\$7.99
8-32 (SAE)	2013004-13	Orange	\$7.99
10-32 (SAE)	2013004-07	Brown	\$7.99
5/16-18 (SAE)	2013004-10	-	\$7.99
3/8-16 (SAE)	2013004-05	Yellow	\$7.99
3/8-24 (SAE)	2013004-08	-	\$7.99
1/2-13 (SAE)	2013004-06	-	\$7.99
5mm x 0.8 (Metric)	2013004-14	-	\$7.99
10mm x 1.5 (Metric)	2013004-01	Green	\$7.99
12mm x 1.5 (Metric)	2013004-09	-	\$7.99
12mm x 1.25 (Metric)	2013004-17	-	\$7.99
14mm x 2 (Metric)	2013004-11	-	\$7.99
14mm x 1.5 (Metric)	2013004-15	-	\$7.99
24mm x 1.5 (Metric)	2013004-16	-	\$19.99

Available sizes for Sort Füt threaded adapters
(used to attach the Sort Füt units to speakers and racks)

1/4-20 (Imperial), 6mmx1 (Metric), and 8mmx1.25 (Metric)
threaded adapters come included with each Sort Füt.

If more height is required, we offer replacement threaded
adjusting studs for \$7.99 retail. These studs offer an extra 18mm
of fixed height on top of the standard 14mm of adjustable height.
(Model: M10X50FLATSS)

Sort Systems

Sort Lift



Model	Retail
-------	--------

SLIFT-2PK	\$649.99
-----------	----------

- Comes in packs of 2
- Raises cables off the ground using minimal points of contact with the cable
- Proprietary Floating Spring System uses titanium alloy and FEP coating
- Anodized aluminum base
- Reduces boundary effects and electrical interference
- Inhibits transference of electrical charge and rids the dielectric of static build-up
- Elevates sound stage, improves dynamic range, and increases detail in low frequency reproductions

LEIF SERIES

RED DAWN SPECIALTY 4 PIN DIN TO XLR (M) CABLE SET

4 PIN DIN XLR (M)



4 PIN DIN XLR (M)



Model	Length	Retail
RDN1.25ML/R4P-XLR	1.25M	\$749.99
RDN1.75ML/R4P-XLR	1.75M	\$1,009.99
RDN2.25ML/R4P-XLR	2.25M	\$1,269.99

Use from:

- ▶ NAC 552 PS to NAP 500
- ▶ Supercap to NAP 300
- ▶ NAC-N272 to NAP 300 or NAP 500
- ▶ SNAXO 362 to NAP 300 or NAP 500 (uses three sets)
- ▶ SNAXO 242 to NAP 300 or NAP 500 (uses two sets)

- Comes as a SET of two cables
- 6 x 24 AWG silver plated 99.9999% OFC solid core conductors
- Shielded with 95% braid
- FEP Insulation
- 60.0pF/ft capacitance
- 0.035μH/ft inductance
- 4 Pin Din to Neutrik XLR (male) termination

- ▶ Add \$260.00 Retail per additional 1/2 meter pair

LEIF SERIES

RED DAWN SPECIALTY 4 PIN DIN TO XLR (M) CABLE

4 PIN DIN XLR (M)



Model	Length	Retail
RDN1.25M4P-XLR	1.25M	\$449.99
RDN1.75M4P-XLR	1.75M	\$579.99
RDN2.25M4P-XLR	2.25M	\$709.99

Use from:

- ▶ Supercap to NAP 250
- ▶ Hi-Cap to NAP 250
- ▶ NAC-N272 to NAP 250
- ▶ SNAXO 242 to NAP 250 (uses two cables)
- ▶ SNAXO 362 to NAP 250 (uses three cables)

- 6 x 24 AWG silver plated 99.9999% OFC solid core conductors
- Shielded with 95% braid
- FEP Insulation
- 60.0pF/ft capacitance
- 0.035μH/ft inductance
- 4 Pin Din to Neutrik XLR (male) termination

- ▶ Add \$130.00 Retail per additional 1/2 meter

LEIF SERIES

RED DAWN SPECIALTY 5 PIN DIN TO 5 PIN DIN (240) CABLE

5 PIN DIN



5 PIN DIN



Model	Length	Retail
RDN1.25M5P	1.25M	\$449.99
RDN1.75M5P	1.75M	\$579.99
RDN2.25M5P	2.25M	\$709.99

Use from:

(SNAIC Applications)

- ▶ NAC 552 PS to NAC 552 Pre
- ▶ Supercap to NAC 252
- ▶ NAC 252 to Superline
- ▶ Hi-Cap to SNAXO 362, SNAXO 242, NAC 282, or NAC 202
- ▶ Flat-Cap to SNAXO 362, SNAXO 242, NAC 282, or NAC 202

- 6 x 24 AWG silver plated 99.9999% OFC solid core conductors
- Shielded with 95% braid
- FEP Insulation
- 60.0pF/ft capacitance
- 0.035μH/ft inductance
- 5 Pin Din (240) to 5 Pin Din (240) termination

- ▶ Add \$130.00 Retail per additional 1/2 meter

LEIF SERIES

RED DAWN SPECIALTY 4 PIN DIN TO 4 PIN DIN CABLE

4 PIN DIN



4 PIN DIN



Model	Length	Retail
RDN1.25M4P	1.25M	\$449.99
RDN1.75M4P	1.75M	\$579.99
RDN2.25M4P	2.25M	\$709.99

Use from:

(SNAIC Applications)

- ▶ NAC 552 PS to Supercap
- ▶ Supercap to Hi-Cap
- ▶ NAP 200 Power Amp to NAC 282 Pre-Amp or NAC 202 Pre-Amp
- ▶ Hi-Cap to NAP 200 Power Amp
- ▶ Flat-Cap to NAP 200 Power Amp

- 6 x 24 AWG silver plated 99.9999% OFC solid core conductors
- Shielded with 95% braid
- FEP Insulation
- 60.0pF/ft capacitance
- 0.035μH/ft inductance
- 4 Pin Din to 4 Pin Din termination

- ▶ Add \$130.00 Retail per additional 1/2 meter

NORSE 2 SERIES

FREY 2 SPECIALTY 4 PIN DIN TO XLR (M) CABLE SET

4 PIN DIN

XLR (M)



4 PIN DIN

XLR (M)



Model	Length	Retail
FRN1.25ML/R4P-XLR	1.25M	\$1,999.99
FRN1.75ML/R4P-XLR	1.75M	\$2,379.99
FRN2.25ML/R4P-XLR	2.25M	\$2,759.99

Use from:

- ▶ NAC 552 PS to NAP 500
- ▶ Supercap to NAP 300
- ▶ NAC-N272 to NAP 300 or NAP 500
- ▶ SNAXO 362 to NAP 300 or NAP 500 (uses three sets)
- ▶ SNAXO 242 to NAP 300 or NAP 500 (uses two sets)

- Comes as a SET of two cables
- 5 x 24 AWG silver plated 99.99999% OFC solid core conductors
- Dual Mono-Filament design
- Shielded with 97% braid
- 28.0pF/ft capacitance
- 0.055μH/ft inductance
- FEP Insulation
- 4 Pin Din to Neutrik XLR (male) termination

- ▶ Add \$380.00 Retail per additional 1/2 meter pair

NORSE 2 SERIES

FREY 2 SPECIALTY 4 PIN DIN TO XLR (M) CABLE

4 PIN DIN

XLR (M)



Model	Length	Retail
FRN1.25M4P-XLR	1.25M	\$1,199.99
FRN1.75M4P-XLR	1.75M	\$1,389.99
FRN2.25M4P-XLR	2.25M	\$1,579.99

Use from:

- ▶ Supercap to NAP 250
- ▶ Hi-Cap to NAP 250
- ▶ NAC-N272 to NAP 250
- ▶ SNAXO 242 to NAP 250 (uses two cables)
- ▶ SNAXO 362 to NAP 250 (uses three cables)

- 5 x 24 AWG silver plated 99.99999% OFC solid core conductors
- Dual Mono-Filament design
- Shielded with 97% braid
- 28.0pF/ft capacitance
- 0.055μH/ft inductance
- FEP Insulation
- 4 Pin Din to Neutrik XLR (male) termination

- ▶ Add \$190.00 Retail per additional 1/2 meter

NORSE 2 SERIES

FREY 2 SPECIALTY 5 PIN DIN TO 5 PIN DIN (240) CABLE

5 PIN DIN



5 PIN DIN



Model	Length	Retail
FRN1.25M5P	1.25M	\$1,199.99
FRN1.75M5P	1.75M	\$1,389.99
FRN2.25M5P	2.25M	\$1,579.99

Use from:

(SNAIC Applications)

- ▶ NAC 552 PS to NAC 552 Pre
- ▶ Supercap to NAC 252
- ▶ NAC 252 to Superline
- ▶ Hi-Cap to SNAXO 362, SNAXO 242, NAC 282, or NAC 202
- ▶ Flat-Cap to SNAXO 362, SNAXO 242, NAC 282, or NAC 202

- 5 x 24 AWG silver plated 99.99999% OFC solid core conductors
- Dual Mono-Filament design
- Shielded with 97% braid
- 28.0pF/ft capacitance
- 0.055μH/ft inductance
- FEP Insulation
- 5 Pin Din (240) to 5 Pin Din (240) termination

- ▶ Add \$190.00 Retail per additional 1/2 meter

NORSE 2 SERIES

FREY 2 SPECIALTY 4 PIN DIN TO 4 PIN DIN CABLE

4 PIN DIN



4 PIN DIN



Model	Length	Retail
FRN1.25M4P	1.25M	\$1,199.99
FRN1.75M4P	1.75M	\$1,389.99
FRN2.25M4P	2.25M	\$1,579.99

Use from:

(SNAIC Applications)

- ▶ NAC 552 PS to Supercap
- ▶ Supercap to Hi-Cap
- ▶ NAP 200 Power Amp to NAC 282 Pre-Amp or NAC 202 Pre-Amp
- ▶ Hi-Cap to NAP 200 Power Amp
- ▶ Flat-Cap to NAP 200 Power Amp

- 5 x 24 AWG silver plated 99.99999% OFC solid core conductors
- Dual Mono-Filament design
- Shielded with 97% braid
- 28.0pF/ft capacitance
- 0.055μH/ft inductance
- FEP Insulation
- 4 Pin Din to 4 Pin Din termination

- ▶ Add \$190.00 Retail per additional 1/2 meter

NORSE 2 SERIES

TYR 2 SPECIALTY 10 PIN / 7 PIN CABLE SET

10 PIN

10 PIN



7 PIN

7 PIN



Model	Length	Retail
TYN1.25M10/7P	1.25M	\$7,999.99
TYN1.75M10/7P	1.75M	\$9,199.99
TYN2.25M10/7P	2.25M	\$10,399.99

Use from:

► **NAPS 555 DR (Power Supply) to ND555 or CD555**

- Comes as a SET OF TWO cables
- 10 x 18 AWG silver plated 99.99999% OFC solid core conductors on 10 pin cable
- 7 x 18 AWG silver plated 99.99999% OFC solid core conductors on 7 pin cable
- FEP insulation around each conductor
- Micro Mono-Filament Design
- Mechanically Tuned Lengths
- Shielded with 97% braid
- Full Metal Jacket, BURNDY Style Connectors w/ Screw Machine Contacts and Gold Plated Pins

► **Add \$1,200.00 Retail per additional 1/2 meter set**

NORSE 2 SERIES

TYR 2 SPECIALTY 19 PIN CABLE



Model	Length	Retail
TYN1.25M19P	1.25M	\$5,499.99
TYN1.75M19P	1.75M	\$6,699.99
TYN2.25M19P	2.25M	\$7,899.99

Use from:

► NAC 552 PS (Power Supply) to NAC 552 Pre

- 19 x 18 AWG silver plated 99.99999% OFC solid core conductors
- FEP insulation around each conductor
- Micro Mono-Filament Design
- Mechanically Tuned Lengths
- Shielded with 97% braid
- Full Metal Jacket, BURNDY Style Connectors w/ Screw Machine Contacts and Gold Plated Pins

► Add \$1,200.00 Retail per additional 1/2 meter

NORSE 2 SERIES

TYR 2 SPECIALTY 17 PIN CABLE



Model	Length	Retail
TYN1.25M17P	1.25M	\$5,299.99
TYN1.75M17P	1.75M	\$6,399.99
TYN2.25M17P	2.25M	\$7,499.99

Use from:

► Supercap (Power Supply) to SNAXO 362, SNAXO 242, or Super Line

- 17 x 18 AWG silver plated 99.99999% OFC solid core conductors
- FEP insulation around each conductor
- Micro Mono-Filament Design
- Mechanically Tuned Lengths
- Shielded with 97% braid
- Full Metal Jacket, BURNDY Style Connectors w/ Screw Machine Contacts and Gold Plated Pins

► Add \$1,100.00 Retail per additional 1/2 meter

NORSE 2 SERIES

TYR 2 SPECIALTY 15 PIN CABLE



Model	Length	Retail
TYN1.25M15P	1.25M	\$5,099.99
TYN1.75M15P	1.75M	\$6,099.99
TYN2.25M15P	2.25M	\$7,099.99

Use from:

► Supercap (Power Supply) to NAC 252

- 15 x 18 AWG silver plated 99.99999% OFC solid core conductors
- FEP insulation around each conductor
- Micro Mono-Filament Design
- Mechanically Tuned Lengths
- Shielded with 97% braid
- Full Metal Jacket, BURNDY Style Connectors w/ Screw Machine Contacts and Gold Plated Pins

► Add \$1,000.00 Retail per additional 1/2 meter

NORSE 2 SERIES

TYR 2 SPECIALTY 11 PIN CABLE



Model	Length	Retail
TYN1.25M11P	1.25M	\$4,699.99
TYN1.75M11P	1.75M	\$5,599.99
TYN2.25M11P	2.25M	\$6,499.99

Use from:


► XPS (Power Supply) to NDX2, ND5 XS, CDX2, NDS, NDX, NAC-N272, HDX, or DAC

- 11 x 18 AWG silver plated 99.99999% OFC solid core conductors
- FEP insulation around each conductor
- Micro Mono-Filament Design
- Mechanically Tuned Lengths
- Shielded with 97% braid
- Full Metal Jacket, BURNDY Style Connectors w/ Screw Machine Contacts and Gold Plated Pins

► Add \$900.00 Retail per additional 1/2 meter

NORSE 2 SERIES

TYR 2 SPECIALTY 9 PIN / 9 PIN CABLE PAIR



Model	Length	Retail
TYN1.25M9/9P	1.25M	\$7,999.99
TYN1.75M9/9P	1.75M	\$9,199.99
TYN2.25M9/9P	2.25M	\$10,399.99

Use from:


► NAP 500 PS (Power Supply) to NAP 500

- Comes as a PAIR of cables
- 9 x 18 AWG silver plated 99.99999% OFC solid core conductors in each cable
- FEP insulation around each conductor
- Micro Mono-Filament Design
- Mechanically Tuned Lengths
- Shielded with 97% braid
- Full Metal Jacket, BURNDY Style Connectors w/ Screw Machine Contacts and Gold Plated Pins

► Add \$1,200.00 Retail per additional 1/2 meter pair

NORSE 2 SERIES

TYR 2 SPECIALTY 7 PIN / 7 PIN CABLE PAIR



Model	Length	Retail
TYN1.25M7/7P	1.25M	\$7,799.99
TYN1.75M7/7P	1.75M	\$8,799.99
TYN2.25M7/7P	2.25M	\$9,799.99

Use from:

► NAP 300 PS (Power Supply) to NAP 300

- Comes as a PAIR of cables
- 7 x 18 AWG silver plated 99.99999% OFC solid core conductors in each cable
- FEP insulation around each conductor
- Micro Mono-Filament Design
- Mechanically Tuned Lengths
- Shielded with 97% braid
- Full Metal Jacket, BURNDY Style Connectors w/ Screw Machine Contacts and Gold Plated Pins

► Add \$1,000.00 Retail per additional 1/2 meter pair

NORSE 2 SERIES

TYR 2 SPECIALTY X-1 CABLE

19 PIN (M)



19 PIN (F)

Model	Length	Retail
TYCH1.5MX1	1.5M	\$3,999.99
TYCH2MX1	2M	\$4,599.99
TYCH2.5MX1	2.5M	\$5,199.99

Use from:

- ▶ CH Precision® X-1 (Power Supply) to various other CH Precision® components
- 3 x 18 AWG silver plated 99.99999% OFC solid core conductors and 16 x 24 AWG silver plated 99.99999% OFC stranded conductors
- FEP insulation around each conductor
- Micro Mono-Filament Design
- Mechanically Tuned Lengths
- Full Metal, Ruggedized Connectors w/ Screw Machine Contacts and Gold Plated Pins
- ▶ Add \$600.00 Retail per additional 1/2 meter

SYSTEM SOLUTION SET-UP & TUNING DISCS



Model	Retail
SUTD	\$44.99

This two-disc audio toolbox has been specially created to get your system sounding its best – and keep it that way. Our most refined set-up and tuning offering to date, the System Solution boasts improved usability, greater resolution, and unique features. It offers both repeatable, objective criteria and carefully chosen musical examples for accurate system assessment.

Includes:

- Essential channel and phase checks
- Multiple pink and white noise signals for speaker/room diagnostics
- Sophisticated LEDR tests to optimize speaker placement
- System maintenance tracks (De-Gauss and Burn-In)
- Low-frequency tones specially designed and configured to map room modes and aid speaker placement or subwoofer positioning and integration.
- Specially selected music tracks with detailed listening notes to further refine system performance

ECO 3X ANTI-STATIC SPRAY



Model	Retail
Eco3X	\$49.99

- Anti-static spray and static inhibitor
- 4 oz (120 ml) spray bottle
- Removes the static charge from cable dielectrics and helps reduce future build-up
- Static charge build up on cables can interfere with the signal and create background noise in your system.
- Glass bottle with retail packaging

NORDOST APPAREL



Model	Description	Sizes	Retail
POP-WHITESWOOP	Nordost White T-Shirt: Short Sleeve w/ "Swoop" on front	Men's: S, M, XL, 2XL Women's: M, L, XL	\$24.99
POP-NAVYSWOOP	Nordost Navy T-Shirt: Short Sleeve w/ logo on front and "Swoop" on back	Men's: S, M, L Women's: S, M, L, XL, 2XL	\$24.99
POP-BLKPOLOTSH	Nordost Black Polo: Collared Short Sleeve w/ Logo on front	S, M, XL	\$49.99
While Supplies Last			



NORDOST